



*Discover your
dream dock*



We've been waiting for you

DAKA has been a family business for more than 40 years. We started as a structural steel fabricator, so you can trust that we know how to engineer the strongest and highest quality docks and lifts available.

Whether making your first-ever dock purchase, or finally building out the dock of your dreams; you're in the right place.

Because when you need a dock, you need a DAKA.



Choosing the Perfect Dock

LAKE SHORE Gradual	
LAKE BOTTOM Hard, Sandy, Rocky	LAKE BOTTOM Muddy
WATER LEVEL Shallow to Deep	WATER LEVEL Deep
WATER FLUCTUATION Moderate	WATER FLUCTUATION Above Average
ROLL-IN DOCKS Truss-Style Pg. 4	FLOATING DOCKS Truss-Style Pg. 5 Low Profile Pg. 13 Connect-A-Dock Pg. 17

LAKE SHORE Gradual to Steep		
LAKE BOTTOM Hard, Sandy, Rocky		
WATER LEVEL Shallow to Deep		
Up to 5' WATER FLUCTUATION	Up to 3' WATER FLUCTUATION	Up to 2' WATER FLUCTUATION
ROLL-IN DOCKS Low Profile Classic Winch Adjust Pg. 9	ROLL-IN DOCKS Low Profile Above Deck Easy Adjust Pg. 10	ROLL-IN DOCKS Low Profile Flush Mount Easy Adjust Pg. 11

LAKE SHORE Steep	
LAKE BOTTOM Hard, Sandy, Rocky	LAKE BOTTOM Muddy
WATER LEVEL Shallow to Deep	WATER LEVEL Deep
WATER FLUCTUATION No	WATER FLUCTUATION Above Average
SECTIONAL DOCKS Low Profile Pg. 12	FLOATING DOCKS Low Profile Pg. 13 Connect-A-Dock Pg. 17



A woman with long brown hair, wearing a white t-shirt and blue shorts, is sitting on a white dock. She is looking towards the left. The dock is made of white metal trusses and is attached to a pontoon boat. The boat has a white canopy and is on a body of water. The background shows green trees and a building. The lighting suggests it is late afternoon or early morning.

Truss-style Docks

EXCEPTIONAL STRENGTH AND DURABILITY


Make it easy to enjoy a day on the lake with a dock you can trust. Featuring lightweight aluminum or budget-friendly steel trusses, DAKA truss-style docks provide 12" deep joists to create a rigid structure for exceptional strength and durability. They are lightweight and configurations can be any length or layout, making it easy to build the dock of your dreams.

Roll-in

Truss-style Docks

Get rolling with strength and durability

Perfect for: gradual-slope lakeshore with hard, sandy or rocky bottoms and shallow-to-deep water with large fluctuations



Smart Design

Lighter weight 4' x 8' sections are easy to handle and fit on trailer or inside pickup truck bed

Adjustable Legs

Classic winch for raising and lowering dock up to 64"

Removable Decking

Western Red Cedar or Titan molded polypropylene decking

Frame Materials

Aluminum or steel

12" Truss System

Tallest available truss prevents flexing under heavier loads; stronger and fewer support poles required

Bracing & Stringers

Corner-to-corner bracing and central stringers ensure rock solid strength

Rotomolded Wheels

Large diameter, no maintenance plastic wheels roll easier and won't go flat

Platform Support Brackets

Extra stability for double or triple wide side-by-side sections

Floating

Truss-style Docks

Versatile and durable in any environment

Perfect for: muddy-bottom shorelines and/or deep or fluctuating water levels



Construction


Floating Truss-style docks include the same features as Roll-in Truss-style docks (minus the wheels!)

Self-leveling

Maintenance-free adjustment to changing water levels

Floats

Foam-filled polyethylene-covered floats support up to 450 pounds each







Low Profile Style Docks

SLEEK AND STURDY VERSATILITY

Your dock will look picture-perfect with our proprietary low profile design, featuring no visible holes, nuts, or bolts. This extruded aluminum dock offers exceptional versatility with a beautiful finish and sturdy performance. Easy to customize with whatever accessories you need or in whatever configuration you want, low profile docks are a stunning choice for any lakeshore.

Features

Low Profile Style Dock



Sleek

Our seven-inch extruded aluminum frames look as smart as they are strong. Your dock will have major shore appeal with recessed decking and our proprietary design with no visible holes, nuts, or bolts. Custom configuration available, including extra wide five-foot frames.

Strong

Built with a super strong marine-grade aluminum alloy, our low profile docks include a three stringer support system and corner-to-corner cross bracing to eliminate sway. You'll also enjoy the lasting quality of stainless steel bolts and brass nuts that won't rust or seize over time.

Simple

All you need is a cordless drill to change your dock's level topside with our flush mount or above deck easy adjust legs. Our three-piece telescoping design features up to 32 inches of adjustment, with more length available on our classic winch adjust legs. Multi-direction wheels make placement no problem.

Attach Accessories Easily




Fast Track Clipping System allows accessories to slide along your dock, then lock in place with a hidden nut channel.

Roll-in

Classic Winch Adjust Low Profile Style Dock

Height adjustment to 60"

Perfect for: gradual to steep lakeshore with hard, sandy or rocky bottoms and water fluctuations up to 5'




Roll-in

Above Deck Easy Adjust Low Profile Style Dock

Height adjustment to 32"

Perfect for: gradual to steep lakeshore with hard, sandy or rocky bottoms and water fluctuations up to 3'



Frame Construction

All Roll-in Low Profile Docks include the same frame features as the Flush Mount docks shown on page 11

Low Profile

Proprietary design offers simplicity and clean aesthetics

Interior Legs

Inside frame placement provides flush surface and greater stability

**Above Deck
Easy Adjust Legs**
Adjust height up to 32"
simply with a cordless drill

Roll-in

Flush Mount Easy Adjust Low Profile Style Docks

Height adjustment to 32"

Perfect for: gradual to steep lakeshore with hard, sandy or rocky bottoms and water fluctuations up to 2'

No Visible Poles

Sleek design with marine-grade aluminum provides the most stunning views of your lake

Removable Decking

Cedar, ThruFlow™ or Alumigrain 4' x 4' panels drop easily into frame

Flush Mount Easy Adjust Legs

Adjust height up to 16" simply with a cordless drill with an additional 16" quick-set adjustment

Frame Material

Proprietary 7" extruded aluminum design has no visible holes, nuts or bolts

Hinge System

Allows one-piece install and removal of longer docks

Fast Track Clipping

Easily move your accessories anywhere along your dock before locking

Triple-braced Wheels

Maximum support and easy placement with no maintenance, wheels are multi-directional

Anti-corrosion

Stainless steel bolts and brass nuts provide lasting quality

Stringers

Triple full-length stringers for superior strength




Sectional

Low Profile Style Docks

Tackle challenging shorelines

Perfect for: steep banks and rugged lakeshore with consistent water levels




Floating

Low Profile Style Docks

Steady and smart

Perfect for: muddy-bottom shorelines and/or deep or fluctuating water levels



Frame Construction

Floating Low Profile Docks include the same frame features as the Flush Mount docks shown on page 11

Self-leveling

Maintenance-free adjustment to changing water levels

Floats

Foam-filled polyethylene-covered floats support up to 450 pounds each

Decking & Dock Accessories

Finish your dock with one of our four durable decking options




Western Red Cedar

Cedar wood is naturally resistant to decay and provides a beautiful and classic finish for your dock.



Titan Decking

Barefoot and pet-friendly polypropylene molded with a slip-resistant surface. Excellent drainage, virtually maintenance-free with UV protection for long-lasting enjoyment.



ThruFlow™ Decking

Strong, long-lasting, fiber-reinforced polypropylene material is barefoot and pet-friendly. Backed by a 12-year limited warranty.




Alumigrain Decking

Powder coated and maintenance free, this aluminum decking mimics the appearance of wood on lightweight panels that stay cool to the touch.




Dock Accessories

Your dream dock is waiting




Shore Ramp

4', 8' or 12' ramp with pivoting design allows a smooth transition from any shoreline to your dock



Corner Sections

Want a little extra room? Add space easily to any L-shape dock



Adjustment Winches

Easily raise and lower your dock to changing water levels with heavy duty winches; sold in pairs




Adjustable Shore End Wheels

Make installation and leveling a breeze




Fixed Shore End Wheels

Help make installation and removal easier




Hinge Assembly

Allows long docks with two or more wheels systems to articulate over uneven shoreline



Sway Brace


Add support to any 4' wide dock



Tow Bar

Two-piece design with crossbar and removable tongue hook to ATV, truck or tractor with 1 7/8" ball coupler

Dock Accessories



Deluxe Bumpers

Protect your pontoon or boat with non-marring plastic bumpers that are easy to mount anywhere



Mooring Ring

Conveniently tie off to this sturdy and safe all-aluminum mooring ring



Bench

There's nothing better than relaxing or fishing with safe and sturdy dock seating - cup holders available



Dock Furniture Set

Set includes two tan chairs, table, and green umbrella - each chair has a 250-pound weight limit



Swimming Ladder

Add an aluminum ladder anywhere on your dock to get in and out of the water with ease



Stair System

Stairs are 2' wide with handrails on both sides, making this stair safe and convenient



Storage Rack

Adjustable storage rack for kayaks, paddle boards, and canoes. Stores two items, maximum weight 250 pounds



Dock Cleat

Quickly and easily tie down your boat with this aluminum dock cleat

Connect-A-Dock



Self-leveling

Maintenance-free adjustment to changing water levels

Buoyancy

Individual enclosed flotation chambers maintains buoyancy if damage occurs to other chamber

Capacity

2,500-pound per 4'x8' section

17" Freeboard

Allows level access to most pontoon decks

Modular and rugged

Connect-A-Docks are floating docks made from modular pieces of molded polyethylene plastic. Connect-A-Docks are easy to assemble topside with float connections, have a skid-resistant surface and come with an eight-year warranty. Available in 6'x10' or 4'x8', 20" deep sections. Ask your dealer about additional components.



Drive-On PWC Lift


Connect-A-Port lifts can handle one to three seater personal water crafts up to 1,700 pounds. Drive on to this lift, made from ultra tough polyethylene. Features two keel rollers, six bow rollers, bow stop, cable and clip, and multiple molded-in tie down loops. Measurements: 157" long, 58.5" wide, 23" high.

Dock Specs

Compare all dock configurations and options

Truss-style Docks

Material	Height	Size	Weight	Finish	Decking	Adjustability	Max Span	Warranty
Aluminum	12"	4'x8'	51 lb	NA	Red Cedar, Titan	64"	24'	15 year
Steel	12"	4'x8'	83 lb	Galvanized, Painted Steel	Red Cedar, Titan	64"	32'	10 year



**Roll-in Truss-style
Classic Winch Adjust Dock**

Roll-in Truss-style Dock

Where to use

Hard, sandy, rocky lake bottoms and gradual-slope lakeshore

Features

- + Our #1 selling dock
- + Rotomolded plastic wheels
- + Support poles
- + Classic winch adjust system

Floating Truss-style Dock

Where to use

Lakeshores with changing water levels, swift currents, or muddy bottoms

Features

- + Can adapt to any environment
- + Self-leveling
- + Foam-filled polyethylene-covered floats support up to 450 pounds each
- + May be equipped with permanent wheel systems to assist movement

Connect-A-Dock

Size	Weight	Decking	Features
4'x8'	190 lb	Molded plastic	+ Skid-resistant surface
6'x10'	380 lb	polyethylene	+ 2500 lb capacity per section
			+ Air-tight flotation chambers
			+ Easy and quick install using only a socket wrench

Dock Specs

Low Profile Style Docks

Material	Height	Size	Weight	Decking	Adjustability	Max Span	Warranty
Extruded Aluminum	7"	4'x8'	75 lb	Red Cedar,	Flush Mount easy adjust: 32"	16'	15 year
		4'x10'	80 lb				
		4'x12'	107 lb	Alumigrain,	Above Deck easy adjust: 32"		
		4'x16'	134 lb				
		5'x12'	121 lb	Thru-Flow™	Classic Winch adjust: 60"		

Roll-in Low Profile Dock

Where to use

Hard, sandy, rocky lake bottoms and gradual-slope lakeshore

Features

- + Anti-sway frame design
- + Triple-braced wheel-end legs offer maximum support
- + Hinge system allows for one-piece install and removal of longer docks

Leg options

Adjust Tool

Easy Adjust

Manual Adjust

Max Distance

Flush Mount Easy Adjust	Cordless Drill	16"	16"	32"
Above Deck Easy Adjust	Cordless Drill	32"	NA	32"
Classic Winch Adjust	Easy Hand Crank Winch	NA	60"	60"

Sectional Low Profile Dock

Where to use

Steep drops and rugged shoreline, quick drop-offs

Features

- + Quick connector brackets make connecting and removing sections easy
- + Sections can be stacked during off-season
- + Support poles with adjustable height

Floating Low Profile Dock

Where to use

Lakeshores with changing water levels, swift currents, or muddy bottoms

Features

- + Foam-filled float drums attached underneath, with no exposed fasteners
- + Easy to install anchoring poles
- + Self-leveling




Roll-in Flush Mount Easy Adjust Dock



Roll-in Above Deck Easy Adjust Dock



Roll-in Classic Winch Adjust Dock



Sectional Dock





Vertical Lifts

SAFE, SECURE, AND EASY TO USE

Make the most of your time on the lake by lifting your boat or pontoon up and out of the water without worry. DAKA's secure vertical lifts not only protect your boat from water conditions, they are safe, easy to use, and adapt to fluctuating water depths. These lifts can handle weight ranges from 1,600 to 8,000 pounds. Made with stainless steel cables, bushings, and bolts, our durable marine-grade aluminum lifts are built to last; and they come with a 15-year warranty.

Boat & Pontoon Lifts

Vertical Lifts

Smooth operation without fail

Our lifts are built with marine-grade aluminum, and stainless steel cables and fasteners to ensure years of smooth operation. DAKA lifts feature up to 61" of lifting height. Easy Adjust leveling legs can be adjusted simply using a cordless drill. DAKA lifts also feature a wheel stop to prevent raising the lift carriage too high.

Cradle your boat with one of these bunk material options including aluminum standard, full-length aluminum/vinyl, full-length carpeted, or a wooden pontoon bunk kit. Additional options available to accommodate any boat.



Easy Adjust Legs Option

Easy adjustment above the water up to 30" using a cordless drill or ratchet. Sold in set of two.



Standard Features

- + Nylatron pulleys with stainless steel bushings resist rusting
- + Designed with replaceable pieces for easier maintenance than a welded assembly
- + All cables pre-strung in tubes
- + Marine-grade extruded aluminum tubes
- + Easy-to-crank aluminum winch box won't rust

Lift Specs

Compare lift specifications

Vertical Lifts

Model	C1460 (PWC)	KDV1684	KDV2096	KDV2596	KDV2515	KDV3120	KDV4120	KDV5120	KDV6120
Capacity (lb)	1400	1600	2000	2500	2500	3000	4000	5000	6000
Inside width	60"	84"	96"	96"	115"	120"	120"	120"	120"
Outside width		93"	107"	107"	128"	133"	134"	134"	136"
Outside length		93"	107"	107"	134"	134"	137"	137"	137"
Weight (lb)	115	295	315	335	350	350	450	470	545
Lifting height	24"	53"	53"	53"	61"	61"	61"	61"	61"
Easy adjust legs	n/a	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Winch upgrades	n/a	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric
Canopy size	n/a	20'	20'/22'	20'/22'	20', 22', 24', 26', 28', 30'	20', 22', 24', 26', 28', 30'	20', 22', 24', 26', 28', 30'	20', 22', 24', 26', 28', 30'	20', 22', 24', 26', 28', 30'

XL Vertical Lifts

Model	KDVL4120	KDVL5120	KDVL6120	KDVL8120
Capacity (lb)	4000	5000	6000	8000
Inside width	120"	120"	120"	120"
Outside width	134"	134"	136"	137"
Outside length	179"	179"	179"	179"
Weight (lb)	493	513	545	754
Lifting height	61"	61"	61"	61"
Easy adjust legs	Optional	Optional	Optional	n/a
Winch upgrades	Electric	Electric	Electric	Hydraulic
Canopy size	20', 22', 24', 26', 28', 30'	20', 22', 24', 26', 28', 30'	20', 22', 24', 26', 28', 30'	20', 22', 24', 26', 28', 30'



Lift Accessories

Your vertical lift can rise to any occasion



Strongarm Winch

Lift up to 4,000 pounds with the touch of a button using our 12V winch designed specifically for DAKA



Lift-Tech Marine Winch

Replace crank wheel on any DAKA lift (12V, 24V, and 110V models); optional remote control



Boat Lift Wheel Kit

Make installation and removal easier with bolt-on stationary wheel kit and mounting plates



Boarding Platform

Bridge the gap between your dock and boat so passengers may board safely



Landing Guides

Landing is easy even in rough water with guides to help align your boat



Solar Panel and Battery Tray

Go green with solar to power your 10W/12V or 20W/24V electric winch



Sunblocker Canopy Curtains

Add extra protection for your boat and pontoon with this 5' side curtain



Tower Canopy

For boats with towers or Bimini tops, a retractable entrance panel makes protecting your boat easy: 24' long, 120" wide, 3.5' deep sides with 10" scalloped curtain

Canopies

Vertical Lifts



Standard Features

- + Support bows located every two feet
- + Multiple sizes available
- + Deep sides for greater protection
- + Acrylic-coated marine polyester with welded seams
- + Long-lasting color with exceptional resistance to abrasion
- + Heavy-duty shock cords and webbing

Performance and protection

Our aluminum canopy frames will protect your boats and pontoons from the damaging effects of exposure to the sun's UV rays and other extreme weather conditions. Measuring 24" from top to bottom in addition to a 10" side curtain, our canopies leave nothing to chance. Choose from three colors that have great visual appeal, are highly water repellent, resistant to mildew and come with a five-year warranty.



Seagull Gray



Forest Green



Hemp Beige

